Lufkin®

- Power & Surveying Tapes
- Measuring Wheels
- Rules
- Laser Levels

Ever since the first Lufkin® wood rule was produced in 1869, the Lufkin brand has been synonymous with high quality and unmatched accuracy. Today, Lufkin wood rules, power tapes, engineering and surveying tapes, specialty tapes and measuring wheels comprise one of the widest selections of measuring products available from any manufacturer.

All Lufkin brand pocket tapes up to and including 10m, manufactured at the ISO 9001 certified Albury NSW plant, are 100% inspected for accuracy against a Bench Standard, calibrated and traceable to an approved National Standard. To meet the Lufkin Quality Standards, the tapes must pass a number of stringent tests including, Falling Sand Test, Drop Test, Blade Retraction Test, End Hook Test, Paint Adhesion Test, Chemical Solvent Rub Test & Salt Spray Environmental Test. This ensures that Lufkin measuring tapes will continue to perform in the most demanding work environments, day in and day out.

Pocket Tapes Selection Guide



METRIC ONLY | METRIC IMPERIAL | 90° CASE SHAPE | CASE INCLUDED IN MEASUREMENT

	Material No.	Metric M	Metric Imperial ME	90° Case Shape	Left or Right Handed Use	Rubber Grip	Case length included in measurement	Blade Colour Yellow	Blade Colour White	Tape Length (m) 3	5	6	8	9	10	Blade Width (mm) 6	10	13	19	25	30	Australian Made
Ultimate™	UW148VSI	•		•					•				•							•		•
	UW148VME		•	•					•				•							•		•
	UW138SI12	•		•					•				•						•			•
	UW148SI10	•		•					•				•							•		•
	UW138ME12		•	•					•				•						•			•
	UW148ME10		•	•					•				•							•		•
Ezy Read	ELW148VSI	•		•	•				•				•							•		•
	ELW148SI10	•		•	•				•				•							•		•
Multi Read	MR46M	•		•	•		•		•			•								•		•
	MR49M	•		•	•		•		•					•						•		•
	MR46M10	•		•	•		•		•			•								•		•
	MR49M10	•		•	•		•		•					•						•		•
Fluorolok™	FL48VSI	•		•				•					•							•		•
	FL48VME		•	•				•					•							•		•
	FL35SI12	•		•				•			•								•			•
	FL38SI12	•		•				•					•						•			•
	100192 / FL48SI10	•		•				•					•							•		•
	FL38ME12		•	•				•					•						•			•
	FL48ME10		•	•				•					•							•		•
Ultra	PS35	•			•	•			•		•								•			•
	PS48	•			•	•			•				•							•		•
	PS410	•			•	•			•						•					•		•
Unilok	Y3SI	•		•				•		•								•				•
	Y835SI	•		•				•			•								•			•
	Y838SI	•		•				•					•						•			•
	Y848SI	•		•				•					•							•		•
	Y3ME		•	•				•		•								•				•
	Y835ME		•	•				•			•								•			•
	Y838ME		•	•				•					•						•			•
	Y848ME		•	•				•					•							•		•
	Y3SI12	•		•				•		•								•				•
	Y833SI	•		•				•		•									•			•
	Y835SI25	•		•				•			•								•			•
	Y838SIBLK	•		•				•					•						•			•
	Y848SI18	•		•				•					•							•		•
	Y3ME12		•	•				•		•								•				•
	Y835MEBLK		•	•				•			•								•			•
	Y838MEBLK		•	•				•					•						•			•
	Y848MEBLK		•	•				•					•							•		•
XL Power	XL410MAU	•		•		•			•						•					•		•
	XL410ME		•	•		•			•						•					•		•
	XL410M8	•		•		•			•						•					•		•
	XL410ME8		•	•		•			•						•					•		•
Autolock	AL825M	•				•		•					•							•		
BigBoss	LBB830	•				•			•				•								•	
Artisan	C106PM	•						*YC		6.5						•						
Executive	W606PM	•						•		2						•						
Artisan Tree Tape	C106TPM	•						*YC				•					•					
Pee-Wee	Y613ME		•					•		•						•						

*YC: Yellow Clad and Chrome Clad®

Prices Herein Do Not Include GST Product depictions are not to scale.

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Ultimate Tapes

Material Number	Description mm/in Length/Width	APN/UPC	Shelf Pack
Carded			
UW148VSI	8m x 25mm	■ 261467	4
UW148VME	8m/26' x 25mm	■ 261405	4
Bulk Display Packs			
UW138SI12	8m x 19mm	■ 261337	12★
UW148SI10	8m x 25mm	■ 261450	10★
UW138ME12	8m/26' x 19mm	■ 261276	12★
UW148ME10	8m/26' x 25mm	■ 261399	10★

AUSTRALIAN MADE

Features
- Accurate Measurement - complies with AS 1290-4 1995. In an easy to read black and red print on an all new white tapeline.
- Strong A.B.S. plastic case, built-in shock absorber bumper & removable belt clip.
- Sliding end hook automatically adjusts for inside and outside measurements
- Positive non-slip blade lock
- Bright, distinctive colours, yellow, green or orange.

M ME 90°

Ezy-Read Tapes

Carded			
ELW148VSI	8m x 25mm	■ 270001	6
Bulk Display Pack			
ELW148SI10	8m x 25mm	93533812	10★

AUSTRALIAN MADE

Features
- Ezy-Read Tapeline..Each numeral on the tape is totally distinct from other numbers. This enables excellent definition and makes it difficult to misread the measurement.
- Perfect for measuring applications where the tape is directly away from the operator, such as vertical measurements or measuring long objects or items.
- Compatible with either left or right handed operation.
- World leading printing technology giving even greater accuracy.

M 90°



Multiread Tapes

Carded			
MR46M	6m x 25mm	93291392	6
MR49M	9m x 25mm	■ 270537	6
Bulk Display Packs			
MR46M10	6m x 25mm	93264303	10★
MR49M10	9m x 25mm	■ 270568	10★

AUSTRALIAN MADE

Features
- Centre scale includes the tape case, for inside measuring. Fits precisely between work edges.
- Left or Right Handed Tape using separate outer scales, synchronised on one face of the tapeline.
- Sure toggle lock button and overcentre lock-shoe
- Small 3 inch compact tape case in two 6 metre versions
- Extended tape mouth - White Blade, Hi-viz case
- Available in 6 metre or 9 metre Metric, all with 25mm/1" wide blade and informative, interactive packaging

M 90°



AWARD WINNING TAPE

★ THESE PACKS CANNOT BE BROKEN

Fluorolok

Material Number	Description Length/Width	APN/UPC	Shelf Pack
Carded			
FL48VSI	8m x 25mm	■ 316952	4
FL48VME	8m/26' x 25mm	■ 316907	4
Bulk Display Pack			
FL35SI12	5m x 19mm	■ 001728	12★
FL38SI12	8m x 19mm	■ 001827	12★
100192	8m x 25mm (FL48SI10)	93533799	10★
FL38ME12	8m/26' x 19mm	■ 001803	12★
FL48ME10	8m/26' x 25mm	93533805	10★

AUSTRALIAN MADE

- Sure toggle lock button and over centre lock-shoe
- Extended tape mouth, Hi-Viz case
- Yellow blade graduated in mm on both edges
- Bright coloured case that stands out in the tool box
- Removable belt clip
- Manufactured in Australia to comply with Australians standards AS 1290-4-1995





M ME 90°

★ THESE PACKS CANNOT BE BROKEN

Ultra Tapes

PRO SERIES

AUSTRALIAN MADE

Carded, in Bulk Display Pack

PS35	5m x 19mm	■ 003081	4★
PS48	8m x 25mm	■ 003098	4★
PS410	10m x 25mm	■ 003104	4★

- ULTRA-Grip™ absorbs impact & improve grip
- ULTRA-Compact™ size designed to fit comfortably in your hand
- ULTRA-Lock™ non slip toggle lock removes blade creep ensuring accurate measurements
- ULTRA-Hook™ Patented 4 rivet end hook lasts 10 times longer than ordinary end hooks
- ULTRA-Read™ graphics are easy to use and read in vertical or horizontal applications, and compatible with either left or right hand operation. The ULTRA-Read™ easy to read print layout features white blade, deep blue font colour, and Red font graduations every 100mm, providing the ultimate in "easy read" graphics for both indoor and outdoor applications.



M

★ THESE PACKS CANNOT BE BROKEN

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Unilok Tapes

Material Number	Description Length/Width	APN/UPC	Shelf Pack
Carded			
Y3SI	3m x 13mm	▲ 93290999	6
Y835SI	5m x 19mm	▲ 93290951	6
Y838SI	8m x 19mm	▲ 93290937	6
Y848SI	8m x 25mm	▲ 93290913	6
Y3ME	3m/10' x 13mm	▲ 93290982	6
Y835ME	5m/16' x 19mm	▲ 93290944	6
Y838ME	8m/26' x 19mm	▲ 93290920	6
Y848ME	8m/26' x 25mm	▲ 93290906	4
Bulk Display Pack			
Y3SI12	3m x 13mm	▲ 93291101	24★
Y833SI	3m x 19mm	▲ 93291088	25★
Y835SI25	5m x 19mm	▲ 93291064	25★
Y838SIBLK	8m x 19mm	▲ 93291057	25★
Y848SI18	8m x 25mm	▲ 93291033	18★
Y3ME12	3m/10' x 13mm	▲ 93291095	24★
Y835MEBLK	5m/16' x 19mm	▲ 93291343	25★
Y838MEBLK	8m/26' x 19mm	▲ 93291040	25★
Y848MEBLK	8m/26' x 25mm	▲ 93291026	18★

- High Impact Resistant Black case with yellow blade
- Built in shock absorbing bumper
- Graduated in mm on both edges, red markings every 100mm
- Removable belt clip
- Manufactured in Australia to comply with Australian standards AS 1290-4-1995





★ THESE PACKS CANNOT BE BROKEN

XL Power Tapes

Carded			
XL410MAU	10m x 25mm	▲ 93291385	2
XL410ME	10m/33' x 25mm	▲ 93291378	2
Bulk Display Pack			
XL410M8	10m x 25mm	93533829	8★
XL410ME8	10m/33' x 25mm	93533836	8★

- High impact resistant, bright orange case
- White blade graduated in mm on both edges, red markings every 100mm
- Built in shock absorbing bumper
- Removable belt clip
- Manufactured in Australia to comply with Australian standards AS 1290-4-1995



★ THESE PACKS CANNOT BE BROKEN

AutoLock Tape Measure

Material Number	Description	APN/UPC	Shelf Pack
Carded, in Bulk Display Pack			
AL825M	Tape Measure - AutoLock 8m x 25mm	■ 270254	8★

- Non-slip Co-Moulded Rubber Grip
- Tough Hi-Viz® Orange ABS Plastic Body
- Perfect for layout work and any other situations where a yardstick style tape measure is preferred
- The blade stays extended automatically until you squeeze the release to retract it with maximum control
- Retraction is easier to control than on tapes with a standard slide button blade lock
- Blade Lock on the AutoLock is recessed so there's no chance of an accidental, and possibly dangerous, uncontrolled tape retraction
- Clear coat Blade Protection for more durable markings
- Steel-Reinforced End Hook for longer blade life



★ SHELF PACKS CANNOT BE BROKEN

Big Boss Tape Measure

Carded, in Bulk Display Pack

LBB830	Tape Measure - Metric only 8m x 30mm	■ 001582	8★

- Big Boss heavy duty wide blade tape measure
- Bright Hi-Viz Orange and Black colour tape case fits firmly in the hand
- Tape Blade 8m x 30mm metric only
- Dura Blade (nylon) coated blade
- Heavy duty 4 rivet end hook
- Heavy duty belt clip
- Hang sell blister card and packed in attractive counter box qty of 8
- Nylon coated blade



★ SHELF PACKS CANNOT BE BROKEN

Lufkin Merchandiser Display Unit

100018AU		■ 002404	1

AUSTRALIAN MADE

BENEFITS:
- Eye catching display to encourage impulse purchases.
- Provides a neat and tidy display of all your Lufkin tapes, carpenters pencils and other Bulk Display Packs of Apex Tool Group Products.
- Increase the exposure of Lufkin tapes to customers.
- Compact design for counter top placement.

Contact your Apex Tool Group Sales Representative for more details.

Long Tapes - Speedwinder Steel Tape

Carded

HTY30MM	30m x 10mm	■ 454906	1
HYT50CM	50m x 10mm	■ 454722	1
(Yellow Clad) with Metric/English Blades			
HTY30MME	30m/100' x 10mm	■ 454593	1
HYT50MME	50m/164' x 10mm	■ 454944	1

- Impact resistant, attractive, self-standing case
- Heavy duty yellow clad blade protected by an abrasion resistant coating; 0.008"/2mm thick
- New design extends, measures and rewinds in less time than conventional long steel blades
- Easy-to-read bold black markings
- Surveyors' tapes of heavy gauge steel have a standard tension of 75N (10lbs. for English up to 100ft. long and 20lbs. for English over 100ft. long)

Universal Steel Tape - Hi Viz Orange Case

Carded

HYF30M	30m x 10mm	■ 455613	4
HYF30ME	30m/100' x 10mm	■ 455453	4

- High impact case; available in Hi-Viz® orange
- Yellow clad blade .005"/0.13mm thick easy-to-read black and red markings
- Easy wind nylon drum
- Hook ring is retained neatly in the contoured mouth of the case, 2-sided end hook for use with either scale
- Removable belt clip
- All tapes are carded
- Surveyors' tapes of heavy gauge steel have a standard tension of 75N (10lbs. for English up to 100ft. long and 20lbs. for English over 100ft. long)

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Long Tapes - Fibreglass Tape

FM030CME FM060CME FM100CME

ME

Material Number	Description Length/Width	APN/UPC	Shelf Pack
FM030CME	30m/100' x 13mm/1/2" Hi-Viz® Orange Fibreglass Tape, Metric/Imperial	● 224156	6
FM060CME	60m/200' x 13mm/1/2" Hi-Viz® Orange Fibreglass Tape, Metric/Imperial	● 224194	2
FM100CME	100m/330' x 13mm/1/2" Hi-Viz® Orange Fibreglass Tape, Metric/Imperial	● 224187	2

- 2 sided blade for clear and easy reading. Metric on one side, Imperial on the other
- Open four-arm frame design protects blade, does not trap dirt in case
- Lightweight but strong case is easy to handle and rewind
- Two-material grip is comfortable to use
- Hi-Viz® orange case is easy to find on the job site
- Folding end hook for true-zero measurements
- Yellow clad fibreglass blade impervious to moisture
- Feet and inches to 8ths; metric to millimetres, numbered in centimetres

Long Tapes - Professional Series

PRO SERIES

EXTRA WIDE 20MM BLADE

ME

PSFM030CME	ProSeries fibreglass long tape 30m/100' x 20mm	● 233981	2
PSFM060CME	ProSeries fibreglass long tape 60m/200' x 20mm	● 233998	2
PSFM100CME	ProSeries fibreglass long tape 100mm/330' x 10mm	● 234001	2

- Includes 3 interchangeable end hooks and stake
- Ring end hook snaps onto stake for 1-person measurements
- Standard folding end hook for general measuring needs
- Appraiser's hook attaches to oversized objects such as downspouts
- 3-to-1 rewind for fast blade retraction
- 20mm blade is more durable, large numbers are easy to read
- 2-sided blade, metric on one side, imperial on the other
- 62 fiberglass strands and double PVC coating for durability and strength
- Cushion grips on handle and frame arms for comfort

Calibrated Measuring Tapes

M 90°

AUSTRALIAN MADE

Y838SIC	8m x 19mm - supplied in red Unilok style case.	■ 260507	1

The uncompromised quality for which Lufkin is renowned is further exemplified through their certified measuring tapes.
These tapes have been thoroughly checked against a traceable national standard, quoting variations from nominal readings.
Each tape is serial numbered and is cross referenced on the certificate of calibration.

Artisan Diameter Tape

Chrome Clad. Diameter to mm

C106PM	6.5m x 10mm	● 060273	1

- Rugged, vinyl-covered steel case
- .008" thick blade
- Large easy winding drum and friction washers

Executive Diameter Tape

M

W606PM	2m x 6mm	● 458537	6

- Designed for measuring diameters of pipe, cable, tyre or any circular object
- Zero falls in the same place on each side of the blade; conversion from diameter to circumference is made simply by turning the blade
- Yellow clad blade
- Easy-to-read bold graduations on yellow background
- Spring action returns blade to case

Artisan Tree Tape

M

Chrome Diameter. Tape Metric

C106TPM	6m x 10mm	● 060266	1

- One side of tape shows length, distance around object. Other side of tape shows diameters of object measured
- Rugged, vinyl-covered steel case
- .008" thick blade
- Large easy winding drum and friction washers

Pee-Wee

ME

(Yellow Clad, Carded) with Metric/English Blades

Y613ME	3m/10' x 6mm/1/4"	● 454676	6

- Pocket size ideal for the office
- High strength case
- Power retraction operation

Measuring Wheels

Lufkin measuring wheels are calibrated to the digital indicator for accuracy. Their flexibility makes them useful on horizontal, vertical, even curved surfaces. Moulded rubber tyres resist corrosion while the tough plastic wheels withstand heavy use for a long service life. Telescoping handle height is comfortable for most users.

Pro Series PSMW10M

Ø100 | PRO SERIES | 999.9

- The Lufkin Measuring Wheel PSMW10M allows faster measurement than a tape measure
- Soft comfort rubber grip handle
- Compact measuring wheel with telescopic handle adjustment. Handle extends to 980mm, and folds down to 480mm for easy storage
- Heavy duty ABS counter housing
- 6 digit counter measures 999.99 metres without resetting
- Rubber tyre tread provides excellent surface grip
- Magnified counter display, for easier reading
- Specifications:
  - Wheel Diameter: 100mm
  - Measures to: 999.99m
  - Extendable size: 980mm
  - Folded size: 480mm
  - Weight: 0.520kg



Pro Series PSMW16M

Ø160 | PRO SERIES | 9999.9

- The Lufkin Measuring Wheel PSMW16M allows you to measure as fast as you can walk
- Wheel is calibrated to counter – accurate for estimated measurements
- Compact and foldable measuring wheel, convenient for quick measurements
- Rubber moulded handle for comfortable measurements
- Magnified counter display, for easier reading
- Counter reset and Trigger brake
- Wheel brake and reset at handle for convenient multiple measurements
- Includes carry bag
- Specifications:
  - Wheel Diameter: 160mm
  - Measures to: 9999.99
  - Extendable size: 1040mm
  - Folded size: 430mm
  - Weight: 1.1kg

Classique Professional MW1000

Ø318 | PRO SERIES | 9999.9

- 1 Metre circumference wheel for accuracy (ground to size)
- 318mm diameter wheel.
- Folds easily in half and snaps open to full size.
- Debris removing tyre scraper for finer measurement.
- Kick down stand.
- Tested accuracy over 30 metres - 10mm = 99.96% accurate.
- Confirmed independent accuracy tests done in UK.
- Trigger brake.
- 2.10kg total weight.
- Carry handle when folded.

Pro Series PSMW32M

Ø318 | PRO SERIES | 9999.9

- The Lufkin Measuring Wheel PSMW32M has a number of impressive features, providing a professional quality measuring wheel, at a very reasonable price
- Convenient reset triggers in both handle and counter
- Collapsible handle for storage
- Solid rubber tyre for improved traction and accuracy
- 5 digit counter measures 9999.9 metres without resetting
- Built in kick stand supports wheel
- Large 318mm wheel diameter provides more accurate measurement on uneven terrain
- Specifications:
  - Wheel Diameter: 318mm
  - Measures to: 9999.9m
  - Weight: 1.5kg

Material Number	Description mm/in	APN/UPC	Shelf Pack
PSMW10M	Measuring Wheel Dia. 100mm Measures up to 1000m	■ 002862	1
PSMW16M	Measuring Wheel Dia. 160mm Measures to 9999.9m	■ 002824	1
PSMW32M	Measuring Wheel Dia. 318mm Measures to 9999.9m without resetting	■ 002817	1
MW1000	Classique Pro Dia. 318mm Measures up to	● 032029	1

Prices Herein Do Not Include GST Product depictions are not to scale.

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Combination Square

Material Number	Description mm/in	APN/UPC	Shelf Pack
LCS6	Stainless Steel 150mm/6”	■ 031886	6
LCS12	Stainless Steel 300mm/12”	■ 031862	6

- Brass Knurl Nut and Scriber Head.
- Sturdy zinc sock.
- Metric inch graduations.

Rafter Framing and Carpenters Squares



N062	Carpenters Square 200mm x 300mm on one side 8” x 12” on other side	● 062185	24
NRS24	Carpenters Square 600mm x 400mm	■ 901950	1
LRS24	Rafter Square 600mm x 400mm	■ 031879	1

- Made of high grade, tempered steel.
- Thermo bonded graduations on yellow background.
- Made in U.S.A.

Folding Rules

LFSME	1m/39” 4 - fold Yellow (Square)	■ 032104	8
LFSSI	1m 4 - fold Yellow (Square)	■ 032111	8
LFBME	1m/39” White (Bevelled)	■ 103217	8
LFBSI	1m White (Bevelled)	■ 032135	8

Stainless Steel Rules

LSR150	150mm/6” x 15mm x 1mm	■ 103224	10
LSR300	300mm/12” x 23mm x 1mm	■ 322663	20
LSR600	600mm/24” x 28mm x 1mm	■ 322779	10
LSR1000	1000mm/40” x 35mm x 1mm	■ 322885	10

- Rustless Steel, deeply etched for easy reading
- Upper edge subdivided mm and 1/2mm; lower edge subdivided 1/8”, 1/32” and 1/64”

Aluminium Metre Stick

LAR1000	1000mm x 35mm x 2mm - Yellow	■ 032517	1

- Made in USA

Digital Calipers

LDC6	150mm/6”	■ 031923	10

- Premium Quality
- Large, Clearly Visible Display
- Measures Internal, External, Depth & Step
- Converts Metric to Inches with the Press of a Button
- Zero Setting at any position
- Hardened to Ensure Accuracy is Maintained
- Reading to 0.01mm & 0.001”

Spirit Levels

Material Number	Description	Vial	APN/UPC	Shelf Pack
Lufkin Pro Series Range				
L60V60	60cm - Level	3	■ 110024	1
L60V80	80cm - Level	3	■ 110048	1
L60V120	120cm - Level with hand grips/holes	3	4003019285983	1
L60V200	200cm - Level with hand grips/holes	3	■ 110123	1
LLBO	120cm Orange Bag		■ 111007	1
Lufkin Level With Carry Bag				
L60V120S	120cm Ribbed Box Section Level with hand grips/holes and orange carry bag	3	■ 110079	10
Magnetic Torpedo Level				
PTM520	90mm x 250mm	3	■ 003258	5

- 3 Vial - Horizontal, verical and 45 degree
- Magnetic measuring surface
- Multi-purpose level for everyday use
- Plastic (ABS) construction
- Lifetime guarantee against leakage or fading of vial

Lufkin Big Boss Spirit Levels

LBBL60	600mm with protective carry bag	3	■ 004569	20
LBBL120	1200mm with protective carry bag	3	■ 004576	10
LBBL200	2000mm with protective carry bag	3	■ 004552	6

- Over-size centre bubble ensures clear and easy reading
- Dual line on bubble for 1° slope feature. Great for setting/measuring run off
- Double milled surface ensures accuracy
- 3 Vials 1 x 180° and 2 x 90°
- Highly accurate with 0.5mm/m accuracy
- The hanging hole has a “no slide” feature which protects the face of the level and prevents sliding
- Dual colour rubber grips for control and comfort
- Rubber end caps protect the level against damage from bumps and drops
- Includes nylon carry bag to protect the level

SOLA® Inclinometer Levels



NAM13	Inclinometer to fit into Magnetic Level 13cm x 13cm	1	9002719001089	1
NAM50	Inclinometer (NAM13) On Magnetic Level - 50cm	1	9002719001102	1

Bricklayer’s Line

LBL50W	White 50m x No. 8	■ 031824	▲12
LBL50P	Pink 50m x No. 8	■ 031817	▲12
LBL50L	Lime 50m x No. 8	■ 103187	▲12
LBL100W	White 100m x No. 8	■ 031855	▲12
LBL100P	Pink 100m x No. 8	■ 131845	▲12
LBL100L	Lime 100m x No. 8	■ 031831	▲12

▲ Shelf Pack of 12 not mandatory, however, order 12 to receive display carton.

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Carpenters Pencils

Material Number	Description mm/in	APN/UPC	Shelf Pack
CP1	Medium Bulk (Red Pencil)	● 134820	72★
CP2H	Hard Bulk (Green Pencil)	■ 031626	72★
LP1SX4	Medium (Red) - 4 Pack plus sharpener	■ 004736	12
LP1X8	Medium (Red) - 8 Pack	■ 004729	6

HOUSE BRANDING AVAILABLE . ASK YOUR APEX TOOL GROUP REPRESENTATIVE FOR DETAILS.

★ SHELF PACKS CANNOT BE BROKEN

Barricade/Caution/Warning Tapes

BC100

BRW100

BYB100

BARRICADE / CAUTION TAPES

BC100	Yellow CAUTION 100m x 75mm	■ 126070	24
BRW100	Barricade 100m x 75mm - Red and White	■ 126056	24
BYB100	Barricade 100m x 75mm - Yellow and Black	■ 003722	6

Flagging Tape

FT100HV	100m Glo-Orange x 25mm	■ 031756	12
FT100HP	100m Glo-Pink x 25mm	■ 031732	12
FT100HR	100m Glo-Red x 25mm	■ 031749	12
FT100HG	100m Glo-Lime x 25mm	■ 103170	12
FT100Y	100m Yellow x 25mm	■ 101794	12
FT100B	100m Blue x 25mm	■ 031701	12
FT100W	100m White x 25mm	■ 131784	12

Safety Vest

SV01	Hi-Viz Safety Vest	■ 122010	1

- Durable & washable light weight nylon.
- Bright orange HI-Viz colour for high visibility in daytime applications.
- Reflective strips for high visibility in low light situations.
- Easy to use velcro fasteners.
- One size fits most.

Chalk Reels & Chalks

LCR30

LCRC30

LCR30M

Chalk Powder

Chalk Reels

LCR30	Chalk Reel, Aluminium, 30m	■ 031190	6

- Contractors Grade marks perfect line every time.
- Easy fill refill.
- Use as a plumb bob.

LCRC30	Chalk & Reel Combo, Aluminium 30m line, 112gm chalk	■ 031220	6

- 30m contractor grade reel.
- Perfect chalk line everytime with hundreds of applications.
- Easy-fill reel.
- Use as a plumb bob.

LCR30M	Chalk & Reel Combo, ABS with rubber surround/grip. Reel 30m	■ 003579	6

- Chalk & reel combo, with 30m Chalk line.
- Durable ABS construction with rubber surround/comfort grip.
- 3:1 Retrieve Ratio.

LCRD112	Chalk Powder 112g Red	■ 031282	10
LCBL112	Chalk Powder 112g Blue	■ 031114	10
LCRD224	Chalk Powder 224g Red	■ 031299	10
LCBL224	Chalk Powder 224g Blue	■ 031176	10
LCWT224	Chalk Powder 224g White	■ 031107	10

Construction Aprons

Material Number	Description mm/in	APN/UPC	Shelf Pack
PNB1296	Construction Apron - 11 Pocket	9313413000132	1

- All of the new bags & holsters are made of heavy duty, top quality materials, and are Australian Made to withstand tough Australian conditions.
- All are reinforced with Nickel rivets and clips
- Made of Full Grain Black Leather, and has 2 hammer loops, a square holster, 50mm webbing belt with quick release buckle

PA103AM	American Style Nail & Tool Apron	9313413000200	1

- Four Nail/Fastener Pockets, Two hammer Loops (Right or Left Hand), Chisel Pouch, Square Pouch, Tape Clip, Two Nail Punch/Pencil Pouches (One with Slot for a Screwdriver), Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Quality, Gold Suede Leather.

PNB1254	Construction Apron - 4 Pocket	9313413000125	1

- Four Nail/Fastener Pockets, Two Hammer Loops (Right or Left Hand), Solid Hide Tape Holster (Fits up to 8m/26ft Tape), Chisel Pouch, Square Pouch, Four Nail Punch/Pencil Pouches (Two with Slot for a Screwdriver), Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Quality, Gold Suede Leather.

PCA1234	Construction Apron - 4 Pocket	9313413012340	1

- Four Nail/Fastener Pockets, Hammer Loops, Square Holster, Solid Hide Tape Holster (Fits up to 8m/26ft Tape), Chisel Pouch, Four Nail Punch, Pencil Pouches (Two with Slot for a Screwdriver).
- Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Quality Gold Suede Leather

TTA0282	D.I.Y. Nail & Tool Apron	9313413000316	1

- Three Nail/Fastener Pockets, Hammer Loop, Square Holster, Tape Clip, Three Pouches for Chisel/Pencil/Knife/Nail Punch etc.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.

Nail & Tool Bags

PNB1298	Nail & Tool Bag - 10 Pocket	9313413000156	1

- All of the new bags & holsters are made of heavy duty, top quality materials, and are Australian Made to withstand tough Australian conditions.
- All are reinforced with Nickel rivets and clips
- Made of Premium Gold Suede leather, and has 10 pockets and 2 hammer loops
- Belt not included.

PNB1252	Nail & Tool Bag - 2 Pocket	9313413000149	1

- Two Nail/Fastener Pockets, Tape Clip, Square Pouch, Two Nail Punch/Pencil Pouches (One with Slot for a Screwdriver) and includes Hammer Holster and Belt
- Made from Premium Quality, Gold Suede Leather.

PNB0994	Professional Nail Bag - 4 Pocket	9313413000217	1

- Two Large and Two Smaller Nail/ Fastener Pockets, Reinforced Reversed End Gussets, Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Quality, Gold Suede Leather.

PNB0992	Professional Nail Bag - 2 Pocket	9313413000095	1

- Two Nail/Fastener Pockets, Reinforced Reversed End Gussets, Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Quality, Gold Suede Leather.

Prices Herein Do Not Include GST Product depictions are not to scale.

Nail Bags

Material Number	Description mm/in	APN/UPC	Shelf Pack
TNB0973	Nail Bag - 3 Pocket	9313413000088	1

- Three Nail/Fastener Pockets, Reinforced Reversed End Gussets.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.

TNB0972	Nail Bag - 2 Pocket	9313413000071	1

- Two Nail/Fastener Pockets, Reinforced Reversed End Gussets.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.

TNB1002	Nail Bag (Rounded Bottom) - 2 Pocket	9313413000118	1

- Two Nail/Fastener Pockets, Fully Gusseted with Rounded Bottom Corners.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.

Double Saw Cover

PDSC113	Double Saw Cover	9313413000255	1

- Two Pockets for Rip, Hand or Panel Saws, Inserts to Protect Saw Teeth, Adjustable Buckle & Leather Strap.
- Made from Heavy Duty, Non Corroding, Premium Gold Suede Leather.
- Length: 680mm.

Chisel Roll - 9 Pocket

PCR1149	Chisel Roll - 9 Pocket	9313413000262	1

- Nine Pockets to fit 3mm to 50mm Chisels, Adjustable Buckle & Leather Strap for Fastening Roll.
- Made from Heavy Duty, Non Corroding, Vegetable Tanned Leather.

Electricians Tool Pouch

IELC127	Electricians Tool Pouch	9313413000286	1

- Six Pockets for Tools, Four Screwdriver Loops, Wire Swing Holder for Insulation Tape, Heavy Duty.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Full Grain Solid Hide Black Leather.

Complete Scaffold Belt - Heavy Duty

PSBHD	Complete Scaffold Belt - Heavy Duty	9313413000484	1

- Heavy duty premium grade leather.
- Riveted to ensure toughness and quality.
- Designed and manufactured in Australia to suit Australian conditions.
- Trade quality, manufactured by an ISO 9001 Certified Company.

Rigger's Belt

Material Number	Description mm/in	APN/UPC	Shelf Pack
IRST200	Rigger's Belt	9313413000293	1

- Safety Holsters for Podger Spanner, Tape, Torpedo Level and Shifting Spanner, Cast Iron Plated Buckle.
- Made from Full Grain Solid Black Hide Leather.

Hammer Holsters

PHHS111

THH111L

PHHS111	Swing Loop Hammer Holster	9313413000019	1

- Wire Swing Loop holds Hammer Vertical when Holster is Tilted, 60mm Belt Slots.
- Made from Solid Hide Leather.

THH111L	High Hang Hammer Holster	9313413004079	1

- Wire Fixed Loop sits High on Belt.
- 60mm Belt Slots.
- Made from Solid Hide Leather.

Tape Holsters

PTH0010

PTH0011

PTH0010	Tape Measure Holster, for 5-8m Tapes	9313413000101	1
PTH0011	Tape Measure Holster, for 8-10m Tapes	9313413000996	1

- All are reinforced with Nickel rivets an clips.
- Made of Black belting leather and have added feature of a tape retention strap. PTH011 is deeper, to accommodate larger tapes.

Moulded Plier Holster

PPH0307	Moulded Plier Holster	9313413000057	1

- Moulded Front fits up to 260mm Combination Pliers.
- 60mm Belt Slots.
- Made from Solid Hide Leather.

Chisel Holster

PCH0109	Chisel Holster	9313413000026	1

- Fits up to a 50mm Chisel.
- 60mm Belt Slots.
- Made from Solid Hide Leather.

Spanner Holsters

IRST123	Shifting Spanner Holster	9313413001238	1

- Leather Strap with Press Stud.
- 60mm Wide Belt Loop.
- Made from Solid Hide Leather.

IRST120	Podger Spanner Holster	9313413001207	1

- Leather Strap with Press Stud.
- 60mm Wide Belt Loop.
- Made from Solid Hide Leather.

Prices Herein Do Not Include GST Product depictions are not to scale.

Leather Belt

Material Number	Description mm/in	APN/UPC	Shelf Pack
IRST124	50mm Leather Belt	9313413001245	1

- Adjustable up to 1.17m/46", Cast Iron Plated Buckle.
- Made from Solid Hide Leather.

Webbing Belt

PWB0050	50mm Webbing Belt	9313413004031	1

- Adjustable up to 1.17m/46", Side Release Buckle.
- Fits all Parker Holster and Pouches.
- Made from Heavy Duty Polyester Webbing.

Side Release Buckle

PSR0050	50mm Side Release Buckle	9313413004123	1

- Fits all Parker 50mm Webbing Belts.

Axe Head Cover

TAHC133	Axe Head Cover	9313413004147	1

- Fits all Axe and Hatchet Heads, Leather Insert to Protect Cutting Edge, Adjustable Buckle & Leather Strap.
- Made from Solid Hide Leather.

Knee Protectors

LKPF	Orange/Hi-Viz	9319929225755	1

- Designed for all Trades, Home & Garden.
- Acid, Oil and Heat resistant face.
- Easy to adjust straps.
- Removable inserts.
- Clam shell packaging.

LKPN	Navy/Blue	9319929227773	1

- Designed for all Trades, Home & Garden.
- Acid, Oil and Heat resistant face.
- Easy to adjust straps.
- Removable inserts.
- Clam shell packaging.

LPPB	Professional	9319929330053	1

- Black/Blue Strap.
- Single strap.
- Lightweight.
- Non-marking.
- Upper shin protection.
- Clam shell packaging.

LPHD	Pro 2 Black/Maroon Strap	9319929330022	1

- Extra Heavy Duty. Slip resistant.
- Single strap. Non marking. Lightweight.
- Upper shin protection.



Lufkin®

Auto & Laser Levels

- Auto/Optical Levels
- Laser Levels
- Distance Measurer
- Tripods
- Accessories

Lufkin has a comprehensive range of premium quality laser and optical levels for indoor and outdoor use. The range includes levelling equipment suitable for both professional and DIY applications, comprising cross-line, rotary, manual and automatic laser levels.

Auto Levels

Material Number	Description mm/in	APN/UPC	Shelf Pack
LAL20XKT	Automatic Level Kit, X20	■ 111816	1

- Kit includes: Auto Level (20X), survey rod, dome head tripod, hard carry case, safety vest
- General surveying up to 200m, sited slab preparation, determining water drainage, kitchen cupboards, wall and floor tiling
- Dampened compensator
- Compensator lock protects instrument during transport or storage
- The lock can also be used as a compensator checking tool
- Top-mounted optical peep-sight for quick reference
- Large, easy to use focusing knob
- Levelling screws
- Weather sealed housing
- 5/8" x 11 tpi thread to fit standard tripods
- Safety orange for easy visibility on building sites

LAL20X	Automatic Level, X20	■ 111748	1

- Includes Auto level and hard carry case
- LAL20X = 20x magnification

LAL24X	Automatic Level, X24	■ 111755	1

- Includes Auto level and hard carry case
- LAL24X = 24x magnification

Laser Distance Measurer

LLM45	Laser Distance Measurer	■ 004903	5

- Includes: Laser distance measurer with integrated spirit level
- Indoor and outdoor applications
- Virtually any dry measuring application where an object can be measured to between 0.3m and 40m from unit
- The Lufkin Laser Range-Master 40 Laser Distance Measurer provides point precise measuring and allows exact measurement over great distances
- Highly visible laser spot
- Simple height measurement for outer walls with the Pythagoras function: This value is calculated automatically at the press of a button
- Simple assessment of room perimeter with the Addition and Subtraction functions
- Area and Volume functions permit the measurement of room sizes
- Measurement units can be selected in metres or feet
- Measurement point can be selected from front or rear of housing
- Integrated bubble spirit-level permits precise alignment of the device, especially important when measuring large distances
- Recall memory for the last 10 measured values
- Illuminated LCD display
- IP 54 rated water and dust protection

Cross Line Laser Level

LCL3	Cross Line Laser Level Kit Self Levelling	■ 002060	3

- Includes: Cross Line Laser, tripod with mounting base, hard shell carry case, batteries
- Cross line, horizontal and vertical lines for multiple applications including plumbing, panelling, door hanging, wall papering, cabinet installation, dado panelling, curtain track levelling, two tone painting lines, wall and floor tiling, picture hanging, window framing, switch and fitting placement
- Ideal for indoor use
- Wide beam angle for maximum coverage
- High intensity, high visibility laser lines - cross line, horizontal and vertical line
- Auto levelling with out-of- level warning
- Estimated battery life of 30 hours, 4 of AA(LR6) / 1.5V batteries included

Laser Square



LLS5	Square Laser Ruler		1

- Includes: Square Laser, bag, target, 2 x AA batteries
- The ideal instrument for all projects including building and flooring layouts, floor & wall tiling and any project where 90° angles are required
- 2 x Inbuilt bubble levels
- Laser wave length: 635 nm
- Laser class: Class II
- Square accuracy: ±0.4 mm/m
- Size: 155 x 155 x 50 mm. Weight: 0.25 kg

Multi-Line Laser Level

LCL4	Multi Line Laser Level	■ 000936	1

- Includes: Laser, bracket, square and padded carry case
- **Electrical:** Level electrical outlets, transfer lighting layout from floor to ceiling using plumb beam
- **Carpentry:** Level and set cabinets and counter tops and install trim
- **Stair Layout:** Level and plumb decks, plumb framing and partition walls, plumb windows and door frames
- **Concrete:** Set forms and footings
- **Plumbing:** Layout piping, sewer lines, drainage and supply lines, transfer sprinkler system layout from floor to ceiling using plumb beam
- **Interior Decorating:** Picture hanging, wall or floor tiling, wallpapering
- Cross line and plumb spot beam
- Suitable for indoor and outdoor applications
- Wide beam angle for maximum coverage
- High intensity, high visibility laser line
- Auto levelling with out-of-level warning
- Weather resistant housing
- Magnetic universal mount
- Auto-off feature
- Pulse mode - use with optional detector for outdoor applications
- Fits standard tripod with 5/8" thread and stand has a 1/4" thread, can be used with 1/4" threaded tripods

Rotary Laser Level, Manual levelling

LR500	Rotary Laser Level, Manual levelling		1

- Includes: Laser, 4 x AA alkaline batteries, glasses, tripod, case
- Projects 3 beams: Vertical, horizontal plane laser beam, upward plumb beam
- Changeable rotating speed
- Green LED illumination of bubble vial
- Easy wall-hanging and tripod mount (5/8" centre screw thread)
- Laser wavelength: 650nm
- Laser class: Class II/III
- Accuracy: ±3mm/10m
- Working range: By eye: >30m (indoors), By detector: >240m
- Size: 120x120x150mm Weight: 0.55kg

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Dual Beam Rotary Laser & Detector

Material Number	Description mm/in	APN/UPC	Shelf Pack
LR502	Dual Beam Rotary Laser & Detector	■ 111809	1

- Includes: Laser, detector, DC adaptor input and padded carry case
- Designed for builders, plasterers and contractors and can be used for levelling, vertical alignment, plumbing and squaring
- Cabinets & shelves, doors and windows, carpentry, sliding door installation, marking elevation, remodelling, masonry, foundations, floors, aligning 90º, joint and edges, landscaping, drainage work, plumbing, walls and partitions, fencing
- Manual levelling in both horizontal and vertical modes
- Variable speed 360° rotation, 0 to 150rpm
- Plumb beam up for vertical alignment projects
- DC adaptor input and low battery level indicator
- Two scan modes (short and long) to create a visible laser line (indoor applications)
- Safety orange for easy visibility on building sites
- Rain and dust proof.
- Fits standard tripod with 5/8" thread

Self Levelling Rotary Laser and Detector

LR510	Self Levelling Rotary Laser and Detector		1

- Includes: Laser, detector, with range of 250m, remote with range of 50m, and carry case
- Innovative good quality economically priced, suitable for and simplifies all contractor grade work loads
- Applications include all horizontal and vertical alignment work, general surveying, slab preparation, determining water drainage, site preparation, indoor and outdoor tiling and carpentry applications
- Power: Ni-MH AA Cell rechargeable battery pack, life of 6 hours
- Laser wavelengthL 635nm
- Laser class: Class II/III
- Accuracy: ±3mm/10m
- Self levelling: ±3.5°
- Working Temperature: -10°C to +45°C
- Working range: 250m (with detector)
- Size: 166x132x185mm Weight: 4kg

Auto Levelling Rotary Laser and Detector

LR600	Auto Levelling Rotary Laser and Detector		

- Includes: Laser, detector, remote, bracket, case, batteries, charger
- Electronic levelling, laser flashing and audible warning when beyond self-levelling range
- Able to project rotary laser horizontal plane and laser plumb beam
- Slope scanning at selective different grade angle
- Adjustable rotating speed of the laser beam
- Accuracy calibration available
- Rainproof and dustproof
- Timed power-off function
- Detector and remote control are available for remote-controlled long distance operating in bright light
- Laser Wavelength: 635nm
- Laser Class: Class II / Class III
- Accuracy: ±1mm/10m
- Auto-levelling Range: ±5°
- Working range: 600m in radius by detector
- Power Supply: 4 x C alkaline batteries or 4.8V Ni-MH rechargeable batter-pack
- Size: 188x150x207mm Weight: 2.1kg

Accessories and Detectors

LS6

LLTP1

LLTP1	Laser Tilt Plate	■ 002558	1

- Precision tilt plate with micrometer
- Turns most laser levels into gradient levels
- Coarse graduations in 5° and fine adjustment down to 1/10 of 1°

LS6	Laser Detector with Clamp	■ 111823	1

- For use with LR502, LSL160,LSL250, LDAL310S. Also compatible with other Rotary Laser Levels
- Range 150m
- Includes Clamp

LRD120

LPD50

NEW PRODUCT

LS6BRACKET	Bracket to suit LS6 Detector	■ 003906	1

NEW PRODUCT

LRD120	Detector for Rotary Lasers		1

NEW PRODUCT

LPD50	Detector for Pulse Lasers		1

SV01

SV01	Hi-Viz Safety Vest	■ 122010	1

Vest:
- Durable, washable, light weight nylon
- Bright orange Hi-Viz colour
- Easy to use velcro fasteners
- With reflective stripes on front and back

Accessories and Detectors

LSP1
* Laser not included

TRIS130

SR4MS4

Material Number	Description mm/in	APN/UPC	Shelf Pack
LSP1	Extendable/Sectioned Laser Support Pole		
SR4MS4	Survey Rod, 4m, 4 section - with Bullseye	■ 111793	10
TRIDH	Tripod, Quick Clamp Dome Head - 5/8" Thread 1065mm collapsed 1700mm fully extended	■ 111762	1
TRIFH	Tripod, Quick Clamp Flat Head - 5/8" Thread 1065mm collapsed 1700mm fully extended	■ 111786	1
TRIS130	Tripod - small 1/4" Thread		1

Lufkin Application Chart

Highly Recommended ●●
Suitable ●

Application/Task	LAL20x & 24x	LLM45	LCL3	LLS5	LCL4	LR500	LR502	LR510	LR600
General surveying, up to house lot size	●●				●	●	●	●●	●●
Levels for Slab preparation	●●				●	●	●	●●	●●
Determining water drainage	●				●	●	●	●●	●●
Site preparation	●●				●	●	●	●●	●●
Kitchen cupboards	●		●		●	●	●	●	
Placement of paving				●	●	●	●	●	●
Wall and floor tiling			●	●●	●●				
Hanging pictures and posters correctly			●		●●	●	●	●	●
Placing wall friezes			●		●●	●	●	●	●
Two tone painting lines			●		●●	●	●	●	●
Curtain track levels			●		●●	●	●	●	●
Placing picture rails			●		●●	●	●	●	●
Window and door frames			●		●●	●	●	●	●
General Surveying, areas up to 50m	●●				●	●	●	●●	●●
General Surveying, areas up to 200m	●							●●	●●
Adjustable for both X & Y Grades						●	●		●
Automatic setup, place and switch on			●		●●			●●	●●
Fitted with Scan Mode for indoor use							●		
Measurement of Distances		●●							
Operation only requires 1 person		●●	●●	●●	●●	●	●●	●●	●●
Detectors/Tripods/Tilt Plate									
LSP1 - Pole			●		●●	●	●	●	
LS6 Detector						●	●	●	●
LRD120 Detector						●	●	●	●
LPD50 Detector					●●				
TRIFH Tripod	●				●	●	●	●	●
TRIDH Tripod	●						●		●
TRIS130 Tripod			●		●	●			
LLTP1 Tilt Plate					●	●	●●	●	●●